


Analog 5-wire PET-On-Glass Touch Screen Specification

1. Mechanical Dimensions and Construction

- 1.1 General: Analog Resistive touch screen is laminated by ITO PET to ITO glass.
- 1.2 Construction:

Item	Description	Material	Remarks
	ITO PET	0.188mm ITO PET	Antiglare coating
1	(Top layer)	Film	Surface hardness: 3H
	New designed printing		Resistance:300~600Ω/□
	ITO Patterned Glass (Bottom layer)	1.8 mm ITO Glass	Resistance:300~900Ω/□
2	New designed printing		
3	Tail Base	Kapton	Separated Tail
4	Tail cover lay	Kapton	
5	Connector	AMP compatible	2,54mm
6	Top layer circuit	Silver ink	
7	Bottom layer circuit	Silver ink	
8	Layer to layer contacted	Silver ink	
9	Dot spacer	UV Cure ink	
10	Isolation Layer	Isolation Adhesive	
11	Glue	UV Glue	
12	Preserve pet	PET Film	

Touch screen side view:



						Chai	nges that contribute to	to techn	ical imp	rovement are	e subject to alternations
				2006	Datum	Name					
				Bearb.	18.08.	Maurer	Т	OU	СН	SCRE	EN
				Gepr.	18.08	Maurer		12,	,26",	5-Wire	9
				Vert.			AMT-02514-01				
				EDV-Datasheet don't change manually			SPECIFICATIONS OF ANALOG RESISTIVE				
							PET-ON-GLASS TOUCH SCREEN				
							Manufactur	red by	Apex N	Naterial Tec	hnology Corp.
)		HURT	FP				
				-		IIC COMPO	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Н	10	70.047	' 4
Zu	Änd.	Datum	Name	4	D 7934	46 Endina	en	nac	ne 1	of 4	Index: -



1.3 Input Method and Activation Force

Input Method	Average Activation Force			
16mm dia. Silicon "finger"	Less than 1.00 N			

2. Typical Optical Characteristics

2.1 Visible Light Transmission: > 80% 2.2 < 13% Haze:

3. Electrical Specifications

3.1 Operating Voltage: 5.5V or less 3.2 Contact current: 20mA (maximum) 3.3 Circuit close resistance: $20\sim300\Omega$

3.4 Circuit open resistance: $> 10M\Omega$ at 25VDC


3.5 Contact bounce: < 15ms

3.6 Linearity Specifications: The linearity specifications are based on Hampshire or

PenMount touch screen controllers and drivers to define.

3.6.1 Inner Active Area: 10 mm inside of X and Y active area dimensions.

The area 10 mm inside of X and Y active area dimensions. Perimeter of Active Area:




						Chai	nges that contribute to	to technical improvement are subject to alternations			
				2006	Datum	Name					
				Bearb.	18.08.	Maurer	TOUCH SCREEN				
				Gepr.	18.08	Maurer	12,26", 5-Wire AMT-02514-01 SPECIFICATIONS OF ANALOG RESISTIVE				
				Vert.							
				ED\	/-Datas	sheet					
				don't change manually SCHURT ELECTRONIC COMPO			PET-ON-GLASS TOUCH SCREEN				
							Manufactur	red by Apex Material Technology Corp.			
								H 1070.0474			
Zu	Änd.	Datum	Name		D 793	46 Ending	en	page 2 of 4 Index: -			



3.6.2 Calculate Linearity

%Linearity =
$$\frac{\sqrt{\Delta X^2 + \Delta Y^2}}{Active Area Diagonal} *100$$



3.6.3 Linearity: Inner Active Area: <1.0%
Perimeter of Active Area: <1.5%

3.7 Electrostatic Discharge Protection: (per EN 61000-4-2) The touch screen withstands of 15KV air discharge and 8KV contact discharge.

4. Environment Specification

4.1 Operating Temperature $-10^{\circ} \text{ C} \sim +60^{\circ} \text{ C}$ Humidity less than 90% RH, no dew condensation

4.2 Storage Temperature $-40^{\circ} \text{ C} \sim +80^{\circ} \text{ C}$, at Ambient Humidity

5. Reliability Test

5.1 Exposure to high temperature

Touch panel is put into a test machine at the condition of 80°C for 504 hours.

Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3
- Circuit open resistance: as Sec. 3.4
- Contact bounce: as Sec. 3.5
- Linearity test: as Sec. 3.6

5.2 Exposure to low temperature

Touch panel is put into a test machine at the condition of –40°C for 504 hours.

Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3
- Circuit open resistance: as Sec. 3.4
- Contact bounce: as Sec. 3.5

Name

- Linearity test: as Sec. 3.6

Datum

And.

		8		IIC COMPO		Н	1070.0474	
				HURT	TED			
		don't d	change m	anually	Manufactur	ed by	Apex Material Technology Corp.	
					PET-C	N-GI	LASS TOUCH SCREEN	
		ED\	/-Datas	heet	SPECIFICA	TION	NS OF ANALOG RESISTIVE	
		Vert.				A	MT-02514-01	
		Gepr.	18.08	Maurer		12,	26", 5-Wire	
		Bearb.	18.08.	Maurer	Т	OU	CH SCREEN	
		2006	Datum	Name				
ı	1	T			nges that contribute to	o techn	ical improvement are subject to alternation	าร

D 79346 Endingen

page 3 of 4

Index: -



5.3 Exposure to constant temperature and humidity

Touch panel is put into a test machine at the condition of 60°C, 90%RH for 504 hours. Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

- Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

- Linearity test: as Sec. 3.6

5.4 Thermal Shock

Touch panel is put into a test machine at the condition of –40°C for 30 minutes, and then 80°C for 30 minutes. The process is repeated by 10 cycles. Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

- Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

- Linearity test: as Sec. 3.6

6. Durability test:

6.1 Finger touches

Touch panel is hit 36 millions times with a silicone rubber of R8 finger, hitting rate is by 250g at 2 times per second. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

- Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

- Linearity test: as Sec. 3.6

7. Optical Performance:

- 7.1 Optical inspection method and optical defect standards refer to document. A001-2 Touch Screen Optical Quality Standard.
- 7.2 Outside to Active Area: any optical defected in this area need to be ignored if no effected to touch screen function.

8. Others

8.1 Always store the touch screen in its original shipping container under normal conditions (20~25°C, 65% RH)

						Chai	nges that contribute to	o tecnnical improvement are subject to alternations		
				2006	Datum	Name				
				Bearb.	18.08.	Maurer	TOUCH SCREEN 12,26", 5-Wire			
				Gepr.	18.08	Maurer				
				Vert.			AMT-02514-01			
				ED\	/-Datas	sheet	SPECIFICATIONS OF ANALOG RESISTIVE			
				don't change manually SCHURT ELECTRONIC COMPO			PET-ON-GLASS TOUCH SCREEN Manufactured by Apex Material Technology Corp.			
							10 December 10 Dec	H 1070.0474		
Zu	Änd.	Datum	Name	D 79346 Ending			en	page 4 of 4 Index: -		