

## MLF2012A2R2JTD25



Applications	Automotive Grade
Feature	Shield Magnetic Shield
	Multilayer Multilayer
	Ferrite Core
	AEC-Q200 AEC-Q200
Series   Type	MLF
Status	Production
Brand	ТДК



Size		
Length(L)	2.00mm ±0.20mm	
Width(W)	1.25mm ±0.20mm	
Thickness(T)	0.85mm ±0.20mm	
Recommended Land Pattern (A)	0.80mm Nom.	
Recommended Land Pattern (B)	1.00mm Nom.	
Recommended Land Pattern (C)	1.20mm Nom.	

Electrical Characteristics			
Inductance	$2.2 \mu \text{H} \pm 5\%$ at 10MHz		
Rated Current (L Change) [Typ.]			
Rated Current (L Change) [Max.]			
Rated Current (Temperature Rise) [Typ.]			
Rated Current (Temperature Rise) [Max.]	50mA		
DC Resistance [Typ.]	220mΩ		
DC Resistance [Max.]	500mΩ		
Self Resonant Frequency [Min.]	80MHz		
Self Resonant Frequency [Typ.]	120MHz		
Q [Min.]	45		
Q [Typ.]	60		


Other			
Operating Temp. Range (Including Self-Temp. Rise)	-55 to 125°C		
Coldering Method	Reflow		
Soldering Method	Iron Soldering		
AEC-Q200	Yes		
Packing	Punched (Paper)Taping [180mm Reel]		
Package Quantity	4000pcs		
Wranne are for reference only and show exemplary products. 1 This PDF document was created based on the data listed on the TDK Corporation website.	0.01g		

HIS PDF document was created based on the data listed on the TDK Corporation website.
All specifications are subject to change without notice.



## MLF2012A2R2JTD25





## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)

! Images are for reference only and show exemplary products.


! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.





## Associated Images



! Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.