

PROFESSIONAL LED INDICATORS Ø8.5mm Mounting



665 SERIES

PACK QUANTITY = 10 PIECES

FEATURES

- Hard black anodised aluminium housing
- Short body length is ideal for portable equipment
- Unique hexagon bezel to aid mounting to panel
- Unique PTFE mounting/panel seal
- Sealed to IP68 (10psi) to BS5420
- Suitable for high vibration applications
- Ideal for marine applications

SPECIFICATION

Ordering Information & Typical Technical Characteristics (Ta = 25°C) Mean Time Between Failure = 100,000 Hours. Luminous intensity figures refer to the unmodified discrete LED.

PART NUMBER	COLOUR		LENS	VOLTAGE DC (Vdc) Vopr	CURRENT DC (mA) lopr	LUMINOUS INTENSITY Iv@20mA (mcd)	WAVE LENGTH λp (nm)	OPERATING TEMP Topr	STORAGE TEMP Tstg	RoHS
HIGH INTENSITY									2002/95/60	
665-501-04-50	Red	0	Colour Diffused	2.0	20	11000	643	-40 ~ +95^	-40 ~ +100	Yes
665-521-04-50	Yellow		Colour Diffused	2.1	20	16000	591	-40 ~ +95^	-40 ~ +100	Yes
665-532-04-50	Green		Colour Diffused	3.4	20	23000	527	-40 ~ +95^	-40 ~ +100	Yes
665-930-04-50	Blue		Colour Diffused	3.4	20	7000	470	-40 ~ +95^	-40 ~ +100	Yes
665-997-04-50	Cool White	\bigcirc	Colour Diffused	3.4	20	14000	*see below	-40 ~ +95^	-40 ~ +100	Yes
UNITS				Vdc	mA	mcd	nm	°C	°C	

^ = Products must be derated according to the derating information. Each derating graph refers to specific LEDs.

Appropriate LED numbers shown - Refer to page 3

997F-C	*Typical emission colour cool white								
х	0.245	0.361	0.356	0.264					
у	0.229	0.385	0.351	0.220					

Intensities (Iv) and colour shades of white (x,y co-ordinates) may vary between LEDs within a batch.

How to Order:

website: www.marl.co.uk • email: sales@marl.co.uk •

• Telephone +44 (0)1229 582430 • Fax: +44 (0)1229 585155


The information contained in this datasheet does not constitute part of any order or contract and should not be regarded as a representation relating to either products or service. Marl International reserve the right to alter without notice the specification or any conditions of supply for products or service.



SAMPLES AVAILABLE



665 Series



website: www.marl.co.uk • email: sales@marl.co.uk •

3

Vdc

665

75

mW



Page 2 of 3

• Telephone +44 (0)1229 582430 • Fax: +44 (0)1229 585155 The information contained in this datasheet does not constitute

The information contained in this datasheet does not constitute part of any order or contract and should not be regarded as a representation relating to either products or service. Marl International reserve the right to alter without notice the specification or any conditions of supply for products or service.

8.5

mm

1.0

Nm

x,y = 14.5


mm


1.5-5.0

mm



Derating Information





How to Order:

website: www.marl.co.uk • email: sales@marl.co.uk •

• Telephone +44 (0)1229 582430 • Fax: +44 (0)1229 585155

The information contained in this datasheet does not constitute part of any order or contract and should not be regarded as a representation relating to either products or service. Marl International reserve the right to alter without notice the specification or any conditions of supply for products or service.



Page 3 of 3