

RKP301KK

Silicon Epitaxial Planar Pin Diode for Antenna Switching

REJ03G1687-0100 Rev.1.00 May 30, 2008

Features

- Low capacitance. (C = 0.30 pF max)
- Low forward resistance. (rf = $2.5 \Omega \text{ max}$)
- Super small Flat Lead Package (SFP) is suitable for surface mount design.

Ordering Information

Part No.	Laser Mark	Package Name	Package Code	
RKP301KK	L5	SFP	PUSF0002ZB-A	

Pin Arrangement

Cathode mark Mark 1 L L5 2	1. Cathode 2. Anode	
	2.741000	

Absolute Maximum Ratings

			$(Ta = 25^{\circ}C)$	
ltem	Symbol	Ratings	Unit	
Reverse voltage	V _R	30	V	
Forward current	I _F	100	mA	
Power dissipation	Pd	150	mW	
Junction temperature	Tj	125	°C	
Storage temperature	Tstg	-55 to +125	٥C	


Electrical Characteristics

 $(Ta = 25^{\circ}C)$

Item	Symbol	Min	Тур	Max	Unit	Test Condition
Forward voltage	V _F	_		1.0	V	I _F = 10 mA
Reverse current	I _R	_	—	100	nA	V _R = 30 V
Capacitance	С	_	—	0.30	pF	V _R = 20 V, f = 1 MHz
Forward resistance	r _f		_	2.5	Ω	I _F = 10 mA, f = 100 MHz


Note: For SFP package, the material of lead is exposed for cutting plane. There for, soldering nature of lead tip part is considered as unquestioned. Please kindly consider soldering nature.

Main Characteristic



RENESAS

Package Dimensions



RenesasTechnology Corp. sales Strategic Planning Div. Nippon Bldg., 2-6-2, Ohte-machi, Chiyoda-ku, Tokyo 100-0004, Japan

- Benesas lechnology Corp. Sales Strategic Planning Div. Nippon Bldg., 2-6-2, Ohte-machi, Chiyoda-ku, Tokyo 100-0004, Japan
 Pines
 This document is provided for reference purposes only so that Renesas customers may select the appropriate Renesas products for their use. Renesas neither makes warranties or representations with respect to the accuracy or completeness of the information in this document.
 But not infinited to, product data. diagrams, charts, programs, algorithms, and application scuch as the development of weapons of mass and regulations, and proceedures required by such laws and regulation.
 All information in this document, included in this document for the purpose of military application scuch as the development of weapons of mass and regulations, and proceedures required by such laws and regulations.
 All information included in this document such as product data, diagrams, charts, programs, algorithms, and application carcuit examples, is current as of the date this document, when exporting the products or the technology described herein, you should follow the applicable export control laws and regulations, and proceedures required by such laws and regulations.
 Renesas has used reasonable care in compiling the information in this document, but Renesas assumes no liability whatsoever for any damages incurred as a fast stude of the document. You should evaluate the information in light of the total system before deciding about the applicabling or underse studies and regulations.
 When using or otherwise relevance the evaluation of the subscience.
 When using or otherwise relevance the applicability of the states of the date this document. Jou should evaluate the information in light of the total system before deciding about the applicability of otherwise in systems the failure of mather and relevance model.
 When using or otherwise in systems or the failure of a material in a data faility warred asses products are n



RENESAS SALES OFFICES

Refer to "http://www.renesas.com/en/network" for the latest and detailed information.

Renesas Technology America, Inc.

450 Holger Way, San Jose, CA 95134-1368, U.S.A Tel: <1> (408) 382-7500, Fax: <1> (408) 382-7501

Renesas Technology Europe Limited Dukes Meadow, Millboard Road, Bourne End, Buckinghamshire, SL8 5FH, U.K. Tel: <44> (1628) 585-100, Fax: <44> (1628) 585-900

Renesas Technology (Shanghai) Co., Ltd. Unit 204, 205, AZIACenter, No.1233 Lujiazui Ring Rd, Pudong District, Shanghai, China 200120 Tel: <86> (21) 5877-1818, Fax: <86> (21) 6887-7858/7898

Renesas Technology Hong Kong Ltd. 7th Floor, North Tower, World Finance Centre, Harbour City, Canton Road, Tsimshatsui, Kowloon, Hong Kong Tel: <852> 2265-6688, Fax: <852> 2377-3473

Renesas Technology Taiwan Co., Ltd. 10th Floor, No.99, Fushing North Road, Taipei, Taiwan Tel: <886> (2) 2715-2888, Fax: <886> (2) 3518-3399

Renesas Technology Singapore Pte. Ltd.

1 Harbour Front Avenue, #06-10, Keppel Bay Tower, Singapore 098632 Tel: <65> 6213-0200, Fax: <65> 6278-8001

Renesas Technology Korea Co., Ltd. Kukje Center Bldg. 18th Fl., 191, 2-ka, Hangang-ro, Yongsan-ku, Seoul 140-702, Korea Tel: <82> (2) 796-3115, Fax: <82> (2) 796-2145

Renesas Technology Malaysia Sdn. Bhd Unit 906, Block B, Menara Amcorp, Amcorp Trade Centre, No.18, Jln Persiaran Barat, 46050 Petaling Jaya, Selangor Darul Ehsan, Malaysia Tel: <603> 7955-9390, Fax: <603> 7955-9510

http://www.renesas.com