




Electrical Testing
per Tusonix standard
test plans and Mil-Std-202
Test Methods.

MARKETING SALES DRAWING
DIMENSIONS IN INCHES - DO NOT SCALE THIS DRAWING
DIMENSIONS IN METRIC - []



NOTES:

1. SUPPLIED WITH SILVER PLATED HEX NUT AND LOCK WASHER.
2. TUSONIX STANDARD PART NUMBER: 4201-017.
TUSONIX RoHS COMPLIANT PART NUMBER: 4201-017 LF.
CUSTOMER MUST SPECIFY STANDARD OR RoHS PART NUMBER WHEN ORDERING.
3. LEAD FINISH: STANDARD PART #: 60/40 Sn/40 Pb. RoHS PART #: 95.5 Sn/3.8 Ag/0.7 Cu.
4. PART MARKING: TRADEMARK AND VARIATION NUMBER ON HEX FLATS.
STANDARD PART: BLACK INK. RoHS PART: GREEN INK.

MIN. CAP. (pF)	WORKING VOLTAGE (WVdc)		CURRENT (Idc)	DWV (VDC)	I.R. MIN. @ 100 VDC	MINIMUM NO LOAD INSERTION LOSS (dB) AT 25°C PER MIL-STD -220			
	85°C	125 °C				10 MHz	100 MHz	1 GHz	10 GHz
	1500	200	100	10 A	400	10 G Ω	5	45	65

REVISION RECORD						--TOLERANCES-- Unless Otherwise Specified	Title		
Original Release C.O. 5543						DECIMAL ±			
1 GHz WAS 60. E.C. 7-14-92						ANGLES ±	Drawn S.M. 01-12-02		
6774							Scale 4X		
RDN TO COMP FMT & ADDED METRIC. 02-12-02									
20020213-2-06									
ADDED NOTES 2-4. S.M. 12-07-05									
20051207-2-01									
TUSONIX TUCSON, ARIZONA						Approved T.C. 02-12-02			
A							4201-017		