


Surface Mount Inductor



FEATURES

- Low profile 0.047" [1.19mm] maximum thickness.
- Self shielding.
- Surface mountable.
- High Q for high efficiency.
- Excellent energy storage.
- Monolithic, ferrite construction.
- Terminals designed for maximum trace EMI and compact circuit design.
- 1500 pieces, 7" reel.
- Patents obtained.


APPLICATIONS

Low profile DC/DC converters.
 Type I PCMCIA.
 Hand held electronics.
 Flat panel displays.

ELECTRICAL SPECIFICATIONS

Inductance Range: 4.7 μ H to 10 μ H.
Inductance Tolerance: \pm 20%.
Temperature Range: - 40°C to + 85°C.

SCHEMATIC




STANDARD ELECTRICAL SPECIFICATIONS


MODEL	IND. (μ H) \pm 20% @ 1MHz w/ 300mADC	Q @ 1MHz/7MHz (Min.)	SELF RESONANT FREQ. MIN. (MHz)	DCR MAX. (Ohms)	RATED DC CURRENT (mA)
ILS-2515-01	4.7	25/55	20	0.58	500
ILS-2515-02	10.0	25/50	15	0.95	500

DIMENSIONS [in inches millimeters]

Dimensional Outline



Pad Layout



DESCRIPTION


ILS-2515 MODEL	10 μ H INDUCTANCE VALUE	\pm 20% INDUCTANCE TOLERANCE
	- 01 (4.7 μ H) - 02 (10 μ H)	

SAP PART NUMBERING GUIDELINES (INTERNAL)



See the end of this data book for conversion tables

PERFORMANCE GRAPHS



PACKAGING OPTIONS

- Tape and Reel:
 Embossed plastic carrier tape.
 Per EIA481-1.
 1500 pieces on a 7" reel.



Notice

Specifications of the products displayed herein are subject to change without notice. Vishay Intertechnology, Inc., or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Vishay's terms and conditions of sale for such products, Vishay assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of Vishay products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify Vishay for any damages resulting from such improper use or sale.