




# 4-Port Rugged Industrial USB 2.0 Hi-Speed Hub w 15KV ESD Immunity and metal case, Mountable

MODEL NUMBER: U223-004-IND











#### Description

Tripp Lite's U223-004-IND is a rugged, all metal constructed USB 4-Port hub for use in data centers, work areas, and Industrial applications. Can be mounted on a wall or din-rail with included mounting hardware. Supports Hi-Speed USB 2.0 transfer rates at 480mbps, but is also backward compatible to USB 1.1 (12mbps). Hub is bus-powered through the computer connection, or can self power with an external adapter (not included) or via the included 3-wire terminal block connector (9-36V).

#### **Features**

- Industrial-grade, rugged all metal 4-port USB hub
- Supports USB 1.1 and 2.0 transfer speeds (12 480mbps)
- Wall or Din Rail mountable hardware included
- Bus Powered or optional 3-Wire DC Terminal Block
- Over-current detection and protection circuit design
- ESD protected to ± 15kV
- · Automatic link and speed detection
- Plug-and-Play; no software or drivers
- Compatible with all major operating systems

## **Specifications**

OVERVIEW		
Over Current Protection	Yes	
Model Type	Hubs	

#### **Highlights**

- Industrial-grade, rugged metal enclosure
- ESD Protected to ± 15 kV
- USB 2.0 Compliant 480Mbps
- Compatible with all major operating systems

#### **Applications**

- Use in areas where hub needs to be securely fastened to a surface, such as din rail or wall
- Use in locations where environment is extreme or possible damage could occur

#### **System Requirements**

 Compatible with all major operating systems

#### Package Includes

- U223-004-IND
- USB cable x 1
- 3-pin power terminal block
- DIN rail mounting hardware
- Wallmount hardware



PHYSICAL			
Unit Dimensions (HWD/in)	1 x 2.5 x 5.6		
Unit Dimensions (HWD/cm)	2.5 x 6.4 x 14.2		
Material of construction	Metal		
Mounting accessories included	Yes		
Color	Black		
ENVIRONMENTAL			
Relative Humidity	5 to 95% RH		
Operating Temperature	0C to 60C ( 32F to 140F )		
CONNECTIONS			
Connector A	USB B (FEMALE)		
Connector B	(X4) USB A (FEMALE)		
WARRANTY			
Product Warranty Period (Worldwide)	1-year limited warranty		

### **Related Items**

#### **Optional Products**

Model Number	Description	Qty.
U022-006	6-ft. USB2.0 A/B Gold Device Cable (A Male to B Male)	1
U022-010	10-ft. USB 2.0 A/B Gold Device Cable (A Male to B Male)	1
U022-015	15-ft. USB 2.0 A/B Gold Device Cable (A Male to B Male)	1
U023-003	3-ft. USB2.0 A/B Gold Device Cable with Ferrite Chokes (A Male to B Male)	1
U023-006	6-ft. USB2.0 A/B Gold Device Cable with Ferrite Chokes (A Male to B Male)	1
U223-007-IND	7-Port Industrial USB 2.0 Hub with 15kV ESD Immunity	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at: http://www.tripplite.com/sku/U223-004-IND.



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

© 2014 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Tripp Lite: U223-004-IND