Multilayer Ceramic Chip Capacitors






1 of 3 Creation Date : May 08, 2017 (GMT)



C1608X7R1V154K080AB

TDK item description C1608X7R1V154KT****

Applications	Commercial Grade Please refer to Part No. CGA3E3X7R1V154K080AB for Automotive use.	
Feature	General (Up to 50V)	
Series	C1608 [EIA 0603]	
Status	Production (Not Recommended for New Design)	



	Size
Length(L)	1.60mm ±0.10mm
Width(W)	0.80mm ±0.10mm
Thickness(T)	0.80mm ±0.10mm
Terminal Width(B)	0.20mm Min.
Terminal Spacing(G)	0.30mm Min.
Pacammended Land Pattern (PA)	0.70mm to 1.00mm(Flow Soldering)
Recommended Land Pattern (PA)	0.60mm to 0.80mm(Reflow Soldering)
Recommended Land Pattern (PB)	0.80mm to 1.00mm(Flow Soldering)
Neconiniended Land Factern (FB)	0.60mm to 0.80mm(Reflow Soldering)
Recommended Land Pattern (PC)	0.60mm to 0.80mm(Flow Soldering)
necommended Land Lattern (FC)	0.60mm to 0.80mm(Reflow Soldering)

	Electrical Characteristics	
Capacitance	150nF ±10%	
Rated Voltage	35VDC	
Temperature Characteristic	X7R(±15%)	
Dissipation Factor (Max.)	5%	
Insulation Resistance (Min.)	3333ΜΩ	

Other		
Soldering Method	Wave (Flow)	
Soldering Method	Reflow	
AEC-Q200	No	
Packing	Punched (Paper)Taping [180mm Reel]	
Package Quantity	4000pcs	

[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

C1608X7R1V154K080AB













Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)














[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

C1608X7R1V154K080AB










Associated Images



[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.