


SAW Bandpass Filter 2510501B



1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : D2512


Dimensions shown are nominal in millimeters

Base : Fe(SPCC), Au plating over Ni plated

Cap : Cu & Cr Alloy, Ni Plated

Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	2510501B	
		Rev. Date	2005-06-13	
		Rev.	NM5012- CS01	1/5

SAW Bandpass Filter 2510501B



3. Specifications

Fo = 151.95 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	151.88	151.95	152.1
Insertion Loss	dB	-	24.0	25.0
1dB Bandwidth	MHz	15.0	15.3	-
3dB Bandwidth	MHz	-	15.65	-
25dB Bandwidth	MHz	-	16.8	16.85
40dB Bandwidth	MHz	-	17.1	17.25
Amplitude Ripple (Fo +/- 7.462 MHz)	dB	-	0.6	1.0
Group Delay Variation (Fo +/- 7.462 MHz)	nsec	-	50	100
Absolute Delay	usec	-	2.98	-
Ultimate Rejection	dB	50	55	-
Temperature Coefficient of Frequency	ppm/°C ²	-	-23	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	251501B	
		Rev. Date	2005-06-13	
		Rev.	NM5012- CS01	2/5

SAW Bandpass Filter 2510501B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)




L1 = 22nH, L2 = 10nH

L3 = 12nH, L4 = 22nH

5. Marking Configuration

ITF¹⁾05A001²⁾
251501B³⁾



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	251501B	
		Rev. Date	2005-06-13	
		Rev.	NM5012- CS01	3/5

SAW Bandpass Filter 2510501B



6. Typical Performance (at +25°C)



ITF Co., Ltd.
102-901, Bucheon Technopark 364,
Samjeong-Dong, Ojeong-Gu, Bucheon-City,
Gyeonggi-Do, Korea 421-809

Part No.

25101B

Rev. Date





2005-06-13

Rev.

NM5012- CS01

4/5

SAW Bandpass Filter 2510501B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No. 251501B

Rev. Date 2005-06-13

Rev. NM5012- CS01 5/5