


Ceramic Bandpass Filter IFD08827

Features

- Ceramic bandpass filter
- 50Ω single-ended operation
- Surface Mounted Module Package (32mm × 17mm × 7.5mm)


Package Dimensions



Maximum Ratings

Parameter	Unit	Minimum	Typical	Maximum
Operating Temperature Range	℃	-40	25	85
Storage Temperature Range	℃	-40	25	85
Power Handling Capability	Watt	-	-	2

Electrostatics Sensitive Device (ESD)

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	IFD08827	
		Rev. Date	2014-08-28	
		Rev.	AS 01	1/4

Ceramic Bandpass Filter IFD08827


Specifications

Fo = 882.5MHz

	Minimum	Typical	Maximum	Unit
Center Frequency (Fo)	-	882.5	-	MHz
Insertion Loss (875 ~ 890MHz)	-	1.8	2.0	dB
Amplitude Ripple (875 ~ 890MHz)	-	0.3	0.5	dB
Return Loss (875 ~ 890MHz)	15	20	-	dB
Relative Attenuation				
@ 830 MHz	40.0	45.0	-	dB
@ 845 MHz	40.0	45.0	-	
@ 1035 MHz	35.0	40.0	-	
@ 1095 MHz	60.0	63.0	-	
@ 1210 MHz	60.0	63.0	-	
Input/Output Impedance		50		Ohm

Notes :

- 1) All specifications are based on the matching schematic shown below, measured by Agilent Network analyzer and full 2 port calibration.
- 2) Electrical margin has been built into the design to account for the variations due to temperature drift and manufacturing tolerances
- 3) All attenuation measurements are measured relative to insertion loss

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	IFD08827	
		Rev. Date	2014-08-28	
		Rev.	AS 01	2/4

Ceramic Bandpass Filter IFD08827

Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)




Marking Configuration

Part No. ¹⁾



1) Part Number


* Ink or Laser Marking available

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	IFD08827	
		Rev. Date	2014-08-28	
		Rev.	AS 01	3/4

Ceramic Bandpass Filter IFD08827

Typical Performance (at 25 °C)



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	IFD08827	
		Rev. Date	2014-08-28	
		Rev.	AS 01	4/4